

Instruments**Art-Nr.: 211050****HUNTER H2**

Gas detection device for easily locating even the smallest leaks in water and heating systems

- special hydrogen sensor with a resolution of 0,1 ppm H₂
- extreme rapid reaction on smallest hydrogen traces
- second sensor for exact pinpointing and localisation in pinholes
- integrated pump with high power for flow and for negative pressure

operation time:
> 10 hours without backlight
measurement range:
0 to 1000 ppm H₂
0 to 5 Vol.% H₂ in N₂
dimensions: 200 x 100 x 87 mm
weight: approx. 1100 g
temperature range: -10°C to +50°C

Charging kit**Art-Nr.: 202019****Charging station GOLIATH / HUNTER**

Power supply or car adapter cable 12 V required.

Art-Nr.: 202020**Charging station GOLIATH / HUNTER**

with communication interface
Power supply or car adaptor charging cable required.

Art-Nr.: 202002**Power supply 230 V**

Art-Nr.: 202003


Car adapter cable 12 V



- included cigarette lighter connector
- length: 1,8 m

Art-Nr.: 202025

Mounting kit for charging station



GOLIATH / HUNTER

For fixing the device securely in the charging station.

Carrying equipment

Art-Nr.: 202028

Carrying belt GOLIATH / HUNTER

length adjustable



Art-Nr.: 202029

Waist belt for GOLIATH / HUNTER

length adjustable



Art-Nr.: 202042

Carrying case with foam insert

for GOLIATH / HUNTER and accessories
dimensions approx.: 465 x 355 x 110 mm



Art-Nr.: 202027

Aluminum carrying case

for GOLIATH / HUNTER
With foam insert for carbon probe set (pinhole and bell probe)
and accessories.
- charging inside case possible



Probes

Art-Nr.: 271131

Air concentration probe V3

with flexible quick connection probe V3
- connectable to SIGI EX, GOLIATH



Art-Nr.: 232085

Carbon pinhole probe T-bone handle

for use in probe holes
For the concentration measurement in probe holes.
Robust, vulcanized, conical probe tip, effective dust filter
and easy to change hydrophobic filter.
Excellent protection of the instrument against dust and water!



Art-Nr.: 232086

Carbon bell probe T-bone handle

For surface measurement in a rough terrain.



Art-Nr.: 232084

Carbon probe set T-bone handle

screwable pinhole and bell probe combination



Art-Nr.: 232130

Carpet probe TS 14 GOLIATH / HUNTER

without flexible joint unit
Carpet probe with optimized suction area,
high flexible hose with coupling and telescopic handle.



Art-Nr.: 232131

Carpet probe TS 14 GOLIATH / HUNTER

with flexible joint unit
Carpet probe with optimized suction area,
high flexible hose with coupling and telescopic handle.



Art-Nr.: 391005

Piston hammering lance for pin holes "short"

isolated for 10 kV, with slip protection
length in the compressed status: 128 cm



Art-Nr.: 391006

Piston hammering lance for pin holes "long"

isolated for 10 kV, with slip protection
length in the compressed status: 182 cm



Documentation

Art-Nr.: 262026

Esders Bluetooth Module EBTM



Remote transmission of measurement data via Bluetooth connection
to an Android device. Transmission of latest measurement data into the office.

power supply: 2100 mA NiMH rechargeable battery
operating time: more than 1 month at frequent use
temperature range: - 10° C to + 50° C
dimensions: 86 x 58 x 34 mm
weight: approx. 175 g
interfaces: bluetooth class 4, infrared

Art-Nr.: 262009

Thermal printer IR 58 mm including power supply



for all handheld measurement instruments
- paper width: 58 mm
- powered by rechargeable battery

Art-Nr.: 265082

Paper roll for thermal printer IR 58 mm

for HMG and SAFE
length approx. 11 m



Art-Nr.: 252002

Software PC1 module HUNTER

for MS Windows XP/7/8
- licence for 1 workstation
- can be used with 32 and 64 bit operation systems
- software for easy documentation of measurements and tightness tests
- data base for administration of all measurements
- graphical visualisation and print out of all measurements



Test equipment

Art-Nr.: 331021

Test set PED 80 GOLIATH / HUNTER



Regulation unit for direct connection to test gas cans.
Gas flow : 80 l/h

Art-Nr.: 372012

Test gas can 100 ppm hydrogen



1 l - 12 bar
rest: synthetic air

Art-Nr.: 212052

H2 Test



To simulate a leakage by a hydrogen cell.
The test includes the probes! With a replacement cell.
Sufficient for up to 1000 tests.

Art-Nr.: 215103

Hydrogen cell for H2 Test



Filter

Art-Nr.: 271112

Filterset hydrophob, 10 pieces - 1µm

for SIGI, SAFE EthanTest, GOLIATH, HUNTER



Art-Nr.: 271111

Filterset, dust filter 8 x 15 mm, 25 pieces

for carbon probe set and flexible quick connection probe V3



Art-Nr.: 202007

Filterset, dust filter d=23,5 mm, 25 pieces



for carbon probe set (pinhole probe) and carpet probe TS 14

Art-Nr.: 202008

Filterset, dust filter d=23,5 mm, 50 pieces



for carbon probe set (pinhole probe) and carpet probe TS 14

Art-Nr.: 505020

Hydrophobic filter, d=30 mm, 1 µm, yellow

for carpet probe, pin hole probe, floating probe



Art-Nr.: 235070

Dust filter, d=75 mm

for carbon bell probe



Accessories

Art-Nr.: 212053

Connecting set tracer gas bottle



Contains all components between tracer gas bottle and pipe:

- pressure reducer tracer gas, 0 to 10 bar
- connecting hose 5 m
- release valve
- connector nipple series 21 to 1/2" ext. thread

Art-Nr.: 212062

Tracergas Injection Box TIB40



Measurement unit for flow and pressure
For flow measurement of tracer gas up to 40 l/Min.
Case / Box with quick connectors, pressure gauge
and electronic flow meter.

Art-Nr.: 212054

Connecting set TIB40 to pipe



contains all components between TIB40 and pipe:
- pressure gauge, angulated, with nipple 2520
- connecting hose, length 5 m, both sides with nipple series 21
- test piece HUGO with 1" ext. thread

Art-Nr.: 212065

Carrying case with foam insert for tracergas accessories



for tracergas accessories
for pressure reducer, HUGO, pressure gauge and connecting hoses
robust plastic case, dimensions approx. 440 x 310 x 100 mm

Spare parts probes

Art-Nr.: 272022

Flexible quick connection probe V3 with filter head



- connectable to SIGI EX
- length 255 mm

Art-Nr.: 275262

Replacement screw cap

for flexible quick connection probe



Art-Nr.: 535015

Round metal filter 14 mm

for flexible quick connection probe



Art-Nr.: 275047

O-ring 4,42 x 2,62 mm


for nipple S 20 of gas inlet screw



Spare parts instrument

Art-Nr.: 214504

rechargeable battery pack for HUNTER / HUNTER H2



Art-Nr.: 275042

Gas inlet screw - with nipple S 20

for SIGI EX, SAFE EthanTest, GOLIATH, HUNTER, HUNTER H2



Art-Nr.: 485022

O-ring 22 x 1.4 mm

for gas inlet screw

